Contents to volume 294

Hypothesis

Transduction of enzyme-ligand binding energy into catalytic driving force (FEBS 10416) *H.F. Fisher, N. Singh* 1
Histone H1 and the regulation of transcription by nuclear receptors (FEBS 10434) *J. Oikarinen* 6

Research Letters

A model of the copper centres of nitrous oxide reductase (*Pseudomonas stutzeri*): Evidence from optical, EPR and MCD spectroscopy (FEBS 10421) *J.A. Farrar, A.J. Thomson, M.R. Cheesman, D.M. Dooley, W.G. Zumft* 11
Diverse proteins homologous to inositol monophosphatase (FEBS 10428) *A.F. Neuwald, J.D. York, P.W. Majerus* 16
An impaired peroxisomal targeting sequence leading to an unusual bicompartmental distribution of cytosolic epoxide hydrolase (FEBS 10429) *M. Arand, M. Knehr, H. Thomas, H.-D. Zeller, F. Oesch* 19
Immunological identification and sequence characterization of a peptide derived from the processing of neuroendocrine protein 7B2 (FEBS 10430) *L. Paquet, N. Rondeau, N.G. Seidah, C. Lazure, M. Chrétien, M. Mbikay* 23
Mechanism of maturation and nature of carbohydrate chains of boar sperm acrosin (FEBS 10431) *J. Moos, J. Tesarik, G. Leca, J. Peknicova* 27
Peptide competition of actin activation of myosin-subfragment 1 ATPase by an amino terminal actin fragment (FEBS 10432) *H. Kögler, A.J.G. Moir, I.P. Trayer, J.C. Rüegg* 31
Turnover of the K^+ transport system in *Saccharomyces cerevisiae* (FEBS 10433) *B. Benito, E. Riballo, R. Lagunas* 35
The modulation of ferryl myoglobin formation and its oxidative effects on low density lipoproteins by nitric oxide (FEBS 10435) *G. Dee, C. Rice-Evans, S. Obeyesekera, S. Meraji, M. Jacobs, K.R. Bruckdorfer* 38
In vivo study of the state of order of the membranes of Gram-negative bacteria by Fourier-transform infrared spectroscopy (FT-IR) (FEBS 10443) *C. Schultz, D. Naumann* 43
Purkinje cells of rat and chicken cerebellum contain calreticulin (CaBP3) (FEBS 10445) *D. Perrin, B. Sönnichsen, H.-D. Söling, P. Nguyen-Van* 47
Induction of neurite outgrowth of PC12 cells by an inhibitor of vacuolar H^+-ATPase, bafilomycin A_1 (FEBS 10446) *H.-o. Tamura, S. Ohkuma* 51
The 3′ promoter region involved in RNA synthesis directed by the turnip yellow mosaic virus genome in vitro (FEBS 10451) *R. Gargouri-Bouzid, C. David, A.-L. Haenni* 56
Insertional inactivation of the *psb*O gene encoding the manganese stabilizing protein of photosystem II in the cyanobacterium *Synechococcus* PCC7942: Effect on photosynthetic water oxidation and L-amino acid oxidase activity (FEBS 10463) *R. Bockholt, B. Masepohl, E.K. Pistorius* 59
Structure of the active 27-residue fragment of human calpastatin (FEBS 10465) *R. Ishima, A. Tamura, K. Akasaka, K. Hamaguchi, K. Makino, T. Murachi, M. Hatanaka, M. Maki* 64
Different types of microsomal enzymes catalyze *ortho*- or *para*-hydroxylation in the biosynthesis of carnation phytoalexins (FEBS 10464) *K. Reinhard, U. Matern* 67
Inhibition of protein kinase C is associated with a decrease in *c-myc* expression in human myeloid leukemia cells (FEBS 10466) *S.H. Bernstein, S.M. Kharbanda, M.L. Sherman, R.M. Stone, D.W. Kufe* 73
Identification of a 220 kDa membrane-associated plant cell protein immunologically related to human β-spectrin (FEBS 10469) *D. Michaud, G. Guillet, P.A. Rogers, P.M. Charest* 77
^1H,^{13}C and ^{15}N backbone assignments of cyclophilin when bound to cyclosporin A (CsA) and preliminary structural characterization of the CsA binding site (FEBS 10470) *P. Neri, R. Meadows, G. Gemmecker, E. Olejniczak, D. Nettesheim, T. Logan, R. Simmer, R. Helfrich, T. Holzman, J. Severin, S. Fesik* 81
A unique vacuolar processing enzyme responsible for conversion of several proprotein precursors into the mature forms (FEBS 10447) *I. Hara-Nishimura, K. Inoue, M. Nishimura* 89
Demonstration of L1-related mRNAs in rat brain using DNA oligonucleotide probes (FEBS 10450) *H. Gaardsvoll, A.-M. Andersson, E. Bock* 94
The gene organisation of the human β2 integrin subunit (CD18) (FEBS 10449) *J.B. Weitzman, C.E. Wells, A.H. Wright, P.A. Clark, S.K.A. Law* 97
Identification of the phosphorylation sites of H2B histone by a catalytic fragment of $p72^{syk}$ from porcine spleen (FEBS 10461) *K. Sakai, Y. Tanaka, M. Asahi, R. Shimomura, T. Taniguchi, E. Hashimoto, H. Yamamura* 104
Striking structural and functional similarities suggest that intestinal sucrase-isomaltase, human lysosomal α-glucosidase and *Schwanniomyces occidentalis* glucoamylase are derived from a common ancestral gene (FEBS 10471) *H.Y. Naim, T. Niermann, U. Kleinhans, C.P. Hollenberg, A.W.M. Strasser* 109
Transcriptional regulation of murine $NADP^+$-dependent methylenetetrahydrofolate dehydrogenase-cyclohydrolase-synthetase (FEBS 10482) *K.G. Peri, R.E. MacKenzie* 113
An hsp70 homolog is encoded on the plastid genome of the red alga, *Porphyra umbilicalis* (FEBS 10483) *M. Reith, J. Munholland* 116
Structure–function analysis of the human integrin VLA-4 (α4/β1): Correlation of proteolytic α4 peptides with α4 epitopes and sites of ligand interaction (FEBS 10448) *R. Pulido, M.R. Campanero, A. García-Pardo, F. Sánchez-Madrid* 121
Histone H1 inhibits eukaryotic DNA topoisomerase I (FEBS 10436) *A. Richter, M. Kapitza* 125
Bovine lens capsule basement membrane collagen exerts a negative priming on polymorphonuclear neutrophils (FEBS 10438) *J.-C. Monboisse, G. Bellon, C. Perreau, R. Garnotel, J.-P. Borel* 129
Phosphorylation of α-crystallin B in Alexander's disease brain (FEBS 10437) *E. Mann, M.J. McDermott, J. Goldman, R. Chiesa, A. Spector* 133
Interleukin 1 receptor antagonist in human epidermis and cultured keratinocytes (FEBS 10439) *D. Gruaz-Chatellard, C. Baumberger, J.-H. Saurat, J.-M. Dayer* 137
Purification and characterization of a Kunitz-type trypsin inhibitor from Leaf-nosed viper venom (FEBS 10462) *A.R. Siddiqi, Z.H. Zaidi, H. Jörnvall* 141
Catalytic fragment of protein kinase C exhibits altered substrate specificity toward smooth muscle myosin light chain (FEBS 10441) *H. Nakabayashi, J.R. Sellers, K.-P. Huang* 144
Ca^{2+} binding properties of type X collagen (FEBS 10444) *T. Kirsch, K. von der Mark* 149

Errata and Corrigenda 153

Hypothesis

Are prions misfolded molecular chaperones? (FEBS 10452) *J.-P. Liautard* 155
Fatty acid circuit as a physiological mechanism of uncoupling of oxidative phosphorylation (FEBS 10457) *V.P. Skulachev* 158

Research Letters

Structure–function relationships of hirulog peptide interactions with thrombin (FEBS 10442) *P. Bourdon, J.-A. Jablonski, B.H. Chao, J.M. Maraganore* 163
Interaction of intact type VI collagen with hyaluronan (FEBS 10453) *C.A. McDevitt, J. Marcelino, L. Tucker* 167
Receptor-mediated induction of aminopeptidase A (APA) of human glomerular epithelial cells (HGEC) by glucocorticoids (FEBS 10454) *V. Stefanovic, P. Vlahovic, N. Ardaillou, R. Ardaillou* 171
Characterization of trypsinogens 1 and 2 in two human pancreatic adenocarcinoma cell lines; CFPAC-1 and CAPAN-1 (FEBS 10455) *B. Miszczuk-Jamska, M. Merten, O. Guy-Crotte, M. Amouric, F. Clemente, R.A. Schoumacher, C. Figarella* 175
Determination of the amino acid sequence of an intramolecular disulfide linkage-containing sperm-activating peptide by tandem mass spectrometry (FEBS 10456) *K.-i. Yoshino, T. Takao, Y. Shimonishi, N. Suzuki* 179
Structure/function relationships in the inhibition of thimet oligopeptidase by carboxyphenylpropyl-peptides (FEBS 10458) *C.G. Knight, A.J. Barrett* 183
Identification of amino acid residues of Ras protein that are essential for signal-transducing activity but not for enhancement of GTPase activity by GAP (FEBS 10459) *J. Fujita-Yoshigaki, M. Shirouzu, H. Koide, S. Nishimura, S. Yokoyama* 187
Low content of mitochondrial ATPase in brown adipose tissue is the result of post-transcriptional regulation (FEBS 10467) *J. Houštěk, P. Tvrdík, S. Pavelka, M. Baudyšová* 191
Fragmentation of proteins by *S. aureus* strain V8 protease: Ammonium bicarbonate strongly inhibits the enzyme but does not improve the selectivity for glutamic acid (FEBS 10460) *S.B. Sørensen, T.L. Sørensen, K. Breddam* 195
Functional significance of aromatic amino acids from three peptide loops of the α7 neuronal nicotinic receptor site investigated by site-directed mutagenesis (FEBS 10440) *J.-L. Galzi, D. Bertrand, A. Devillers-Thiéry, F. Revah, S. Bertrand, J.-P. Changeux* 198
Separation of active and inactive (nonphosphorylating) Ca^{2+}-ATPase in sarcoplasmic reticulum subfractions from low-frequency-stimulated rabbit muscle (FEBS 10472) *S. Matsushita, L. Dux, D. Pette* 203
Phosphorylation of recoverin, the calcium-sensitive activator of photoreceptor guanylyl cyclase (FEBS 10468) *H.-G. Lambrecht, K.-W. Koch* 207
Plant basic 7 S globulin-like proteins have insulin and insulin-like growth factor binding activity (FEBS 10484) *S. Komatsu, H. Hirano* 210
A Lys^{27}-to-Glu^{27} mutation in the human insulin-like growth factor-1 prevents disulfide linked dimerization and allows secretion of BiP when expressed in yeast (FEBS 10485) *B. Chaudhuri, S.B. Helliwell, J.P. Priestle* 213
2-Deoxy-2-fluoro-D-galactose protein *N*-glycosylation (FEBS 10486) *N. Loch, C.C. Geilen, I. Spörndle, F. Oberdorfer, D. Keppler, R. Tauber, W. Reutter* 217
On the substrate specificity of nitric oxide synthase (FEBS 10491) *M. Hecker, D.T. Walsh, J.R. Vane* 221
Interaction of adenine nucleotides with the adenine nucleotide translocase regulates the developmental changes in proton conductance of the inner mitochondrial membrane (FEBS 10495) *C. Valcarce, J.M. Cuezva* 225
Ubiquitination of endogenous calmodulin in rabbit tissue extracts (FEBS 10492) *M. Laub, H.P. Jennissen* 229
Evidence for a Competitive-Displacement Model for the initiation of protein synthesis involving the intermolecular hybridization of 5 S rRNA, 18 S rRNA and mRNA (FEBS 10516) *K.D. Sarge, E.S. Maxwell* 234
Trimeric G-proteins of the *trans*-Golgi network are involved in the formation of constitutive secretory vesicles and immature secretory granules (FEBS 10537) *F.A. Barr, A. Leyte, S. Mollner, T. Pfeuffer, S.A. Tooze, W.B. Huttner* 239
Binding of truncated peptides to the MHC molecule IA^d (FEBS 10473) *K. Dornmair, B.R. Clark, H.M. McConnell* 244
Eicosanoid generation from antigen-primed mast cells by extracellular mammalian 14-kDa group II phospholipase A_2 (FEBS 10474) *M. Murakami, I. Kudo, K. Inoue* 247
The potent vasodilating and guanylyl cyclase activating dinitrosyl-iron(II) complex is stored in a protein-bound form in vascular tissue and is released by thiols (FEBS 10478) *A. Mülsch, P. Mordvintcev, A.F. Vanin, R. Busse* 252
Phorbol ester stimulation of pancreatic β-cell replication, polyamine content and insulin secretion (FEBS 10488) *Å. Sjöholm* 257
Rapid turnover of low density lipoprotein receptor in human monocytic THP-1 cells (FEBS 10487) *R. Hamanaka, T. Seguchi, Y. Sato, M. Ono, K. Kohno, M. Kuwano* 261
Pyridoindole stobadine is a potent scavenger of hydroxyl radicals (FEBS 10489) *M. Stefek, L. Benes* 264
Protein kinase C in rat brain synaptosomes: βII-subspecies as a major isoform associated with membrane-skeleton elements (FEBS 10490) *S.-i. Tanaka, M. Tominaga, I. Yasuda, A. Kishimoto, Y. Nishizuka* 267
Glycinebetaine enhances and stabilizes the evolution of oxygen and the synthesis of ATP by cyanobacterial thylakoid membranes (FEBS 10494) *M.D. Mamedov, H. Hayashi, H. Wada, P.S. Mohanty, G.C. Papageorgiou, N. Murata* 271
The rate of ATP-synthesis as a function of ΔpH and $\Delta\psi$ catalyzed by the active, reduced H^+-ATPase from chloroplasts (FEBS 10496) *U. Junesch, P. Gräber* 275
Matrix degrading properties of sperm serine proteinase, acrosin (FEBS 10493) *T. Planchenault, D. Čechová, V. Keil-Dlouha* 279
The sexual inducer of *Volvox carteri*: Its large-scale production and secretion by *Saccharomyces cerevisiae* (FEBS 10497) *E. Haas, M. Sumper* 282
The major endogenous bovine brain protein kinase C inhibitor is a heat-labile protein (FEBS 10501) *E.D. Fraser, M.P. Walsh* 285

Author Index to volume 294 290

Contents to volume 294 294

MB